




Kawasaki motorcycles are a distillation of the most advanced technology the world has to offer.

Representing a unique engineering heritage and a wealth of technological expertise combined with passion, performance and individuality, Kawasaki motorcycles are not just about high performance. They are a crystallisation of advanced technology arising from the collective efforts of the Kawasaki Heavy Industries Group, whose activities span a wide range of business domains including Land, Sea and Air Transportation Systems, Energy & Environmental Engineering and Industrial Equipment.



control. This approach has been the force behind many of our legendary machines, and in our pursuit of all possibilities it will

continue to guide the future creation of Kawasaki motorcycles.







ZH2

With its refined naked styling and Balanced Supercharged Engine, in addition to performance that can be enjoyed across the rev range combined with superb fuel efficiency, this innovative new model offers high levels of handling and comfort, plus the latest equipment – all suitable features for the new Z Series flagship.

Z H2 features

Balanced Supercharged Engine • 998 cm³ liquid-cooled DOHC 16-valve In-Line Four 147 kW (200 PS)* • TFT Colour instrumentation • Quick Shifter (KQS) UP/DOWN • Front Brakes Brembo M4•32 • Newly designed trellis frame • Assist & Slipper Clutch • Smartphone connectivity • All LED lighting • Electronic Cruise Control • Riding Mode selection • Traction control (KTRC) • Wheelie control • Cornering Management Function (KCMF) • Launch control (KLCM) • Electronic Throttle Valves

The instrument panel comprehensively displays various information on the full-colour TFT LCD screen. It also has functions that can help you manage daily vehicle operating status and schedule for long distance riding. This model is equipped with a smartphone connectivity function, which enables connection via Bluetooth.





METALLIC MATTE CARBON GRAY / METALLIC FLAT SPARK BLACK

METALLIC DIABLO BLACK / METALLIC FLAT SPARK BLACK METALLIC SPARK BLACK / METALLIC GRAPHITE GRAY / MIRROR COATED SPARK BLACK



/11

ASSIST & SLIPPER CLUTCH

The Assist & Slipper clutch offers a lighter clutch lever feel and prevents rear wheel skipping on quick downshifts.

The Z H2's advanced electronics package includes numerous electronic control systems such as KTRC, KCMF, and KIBS, as well as an IMU that provides chassis orientation feedback to KIBS and KTRC. In addition, Electronic Cruise Control and

1. Sugomi describes the unique aura that radiates from beings possessing overwhelming presence and unrivalled power. 2. KQS (Kawasaki Quick Shifter). At engine speeds (rpm) above 2,500 min-1, KQS enables clutchless upshifts and downshifts. 3. The instrument panel comprehensively displays various information on the full-colour TFT LCD screen. It also has functions that can help you manage daily vehicle operating status and schedule for long distance riding. This model is equipped with a smartphone connectivity function, which enables connection via Bluetooth. 4. Kawasaki's cruise control system allows a desired speed to be maintained with the simple press of a button.



KQS further enhance riding convenience.



▶ LED LIGHTS

All the lights – including the headlamp, taillight as well as turn signals and license plate lamp – are equipped with LED bulbs.

THROTTLE VALVES



ERNAKED





Z H2 features

■ IMPELLER

The DOHC 16-valve 998 cm³ In-Line Four Balanced Supercharged Engine generates a high maximum power of 147Kw (200 PS) while also being lightweight and compact. It produces intense acceleration unlike anything a naturally aspirated engine can provide.

BRAKES

To be easy to ride at low and medium speeds, as well as high speeds, the Z H2 needed brake system that matches its performance. The front brakes are gripped by Brembo M4.32 monobloc calipers. Machined from cast aluminium blocks, their highly rigid one-piece structures boast strong braking force. The calipers are radially mounted, further contributing to their high performance. performance.



ACCESSORIES Z H2

Supercharge your own style. Choose from a selection of Kawasaki genuine accessory items



SEAT COVER



FRAME SLIDERS



GRIP HEATER



AKRAPOVIČ TITANIUM SPORTS MUFFLER EXHAUST WITH CAT



AXLE SLIDERS



TANK AND KNEE PADS





Z1000 Z1000 R Edition

The aggressive and unique Sugomi inspired Z1000 is already a highly respected machine offering brutal functionality and impactful riding characteristics. The Z1000 R Edition has an even more dramatic package with a menacing colour scheme plus Brembo M50 calipers and an Öhlins rear shock which will delight fans of naked streetfighter class machines that demand a refined yet raw ride.


Z1000 R EDITION STYLE Menacing colour scheme that is underpinned by a special graphic package complete with yellow-green accents.

Z1000 Z1000 R EDITION



PEARL STORM GRAY / EMERALD BLAZING GREEN

METALLIC MATTE GRAPHITE GRAY





22/

Z1000 & Z1000 R EDITION ACCESSORIES

ACCESSORIES Z1000 & Z1000 R Edition

The temptation to customise your Z1000 and make your own personal style statement will be impossible to resist. Choose from a selection of Kawasaki genuine accessory items.

Also available are our accessorised packages. Ask for these at your local dealer.

Z1000 PERFORMANCE PACKAGE INCLUDES:

- AKRAPOVIČ SILENCERS
- CARBON HEATSHIELDS
- TANKPAD

Z1000 R EDITION PERFORMANCE PACKAGE INCLUDES:

- AKRAPOVIČ SILENCERS
- CARBON HEATSHIELDS



CARBON AKRAPOVIČ SILENCERS





CLUTCH COVER GUARD



ENGINE GUARDS



FRONT AXLE SLIDERS





Z900

FEATURES • 948 cm3 In-Line Four • 125 PS (95 PS for A2 license compliant model) • ABS braking

- Assist & Slipper clutch Lightweight Trellis frame Low seat height Sugomi design philosophy
- LCD Multi-Functional Instrumentation with gear position indicator Wide, flat handlebar ERGO-FIT high seat option • Fully adjustable front and rear suspension • Powerful four piston brake calipers
- Adjustable clutch and brake lever

Consistently at the head of the field in its capacity class of the naked sector, the **Z900** is available in two versions for 2020, a full power machine rated at 125PS (92.2 kW) and an A2 specification model with 95PS (70kW) available.

NIMBLE HANDLING

Key component to the Z900's light weight is the all-new frame in combination with the extruded aluminum swinging arm.



Z900 - A2 license compliant

Tuned to give a maximum of 70 kW, the A2 variant of the Z900 can be adjusted to provide a maximum of 35 kW, to comply with the A2 regulations.



METALLIC SPARK BLACK METALLIC FLAT SPARK BLACK

CANDY LIME GREEN / METALLIC SPARK BLACK METALLIC GRAPHITE GRAY / METALLIC SPARK BLACK

PEARL BLIZZARD WHITE / METALLIC SPARK BLACK



/29



hit that pulls strongly to the redline.



Latest Evolution of Z Sugomi Styling

While the Z900's distinctive Sugomi design elements (crouching stance, low-positioned head and upswept tail) remain unchanged, its eyecatching styling benefits from a number of updates that make its aggressive design even sharper.



















1. New ALL-LED headlamp, position lamps, licence plate lamp and turn signals† add to


2. Kawasaki's advanced traction control system provides both enhanced sport

riding performance and the peace of mind to negotiate low-traction surfaces with


the Z900's sharper new styling.







motorcycling experience.









SMOKE FLY SCREEN



CARBON AKRAPOVIČ SILENCER

ACCESSORIES Z900

It's not finished until you've added your personal touch. Enhance, protect and modify your **Z900** with bespoke Kawasaki genuine accessory items.

Also available is our **Z900** performance package.



- AKRAPOVIČ SILENCER
- PILLION SEAT COVER
- METER COVER
- TANK PAD



CLUTCH COVER GUARD



ENGINE SLIDERS





TANK & KNEE PADS



TANK BAG



FRONT AXLE SLIDERS



12V SOCKET



PILLION SEAT COVER





Z650

• 649 cm³ Parallel Twin engine • 68 PS • Lightweight Trellis frame • Low seat height of 790 mm • Assist & Slipper clutch • Sugomi design • Z-pattern LED tail light • Stylish under-engine muffler • Wide, flat handlebar • Horizontal Back-Link rear suspension with adjustable preload. • Multi-Functional Instrumentation with gear position indicator • ABS petal disc brakes • Adjustable clutch and brake lever



CANDY LIME GREEN /

METALLIC SPARK BLACK



METALLIC SPARK BLACK

7650

34/

2020

PERNAKED

PEARL BLIZZARD WHITE /

METALLIC SPARK BLACK



When opening the throttle, riders will notice an extremely smooth and powerful engine character that offers both a high level of control when making subtle throttle

adjustments and a gratifying rush of acceleration in the lower rpm ranges.



1. Both clutch and brake levers are 5-way adjustable to accommodate a variety of hand sizes for increased comfort. 2. Horizontal Back-Link Rear Suspension delivers a balance of sporty performance and ride comfort. 3. The new all digital TFT colour instrumentation gives the cockpit a high-tech, high grade appearance. The screen's background colour is selectable (black or white). 4. Underneath exhaust lowers the bike's centre of gravity and the sleek silencer design adds to the bike's overall slim looks.

5. Dual Ø 300 mm petal discs, dual piston caliper and Bosch ABS unit deliver plenty of braking power.









SUPERNAKED 2020



LARGE SMOKE FLY SCREEN

SOFT SIDE CASE SYSTEM (2X14L)







TANK BAG



PILLION SEAT COVER



TANK PAD




FRAME SLIDER

ACCESSORIES Z650

We've got things covered with a range of factory developed genuine accessory items.





- FULL AKRAPOVIČ TITANIUM EXHAUST SYSTEM
- PILLION SEAT COVER
- METER COVER
- TANK PAD





features

• ABS brake system • 399 cm³ Parallel Twin engine • 45 PS • Lightweight trellis frame • Sporty 41 mm telescopic front suspension • Horizontal Back-link rear suspension • Economical Riding Indicator • Gear position indicator • Low 785 mm seat height • Assist & Slipper clutch • 14 litre fuel tank • Sugomi styling • LED head and taillight • Optional ERGO-FIT high seat • A2 License compliant

▼ LIGHT WEIGHT

A Ninja H2 style trellis frame contributes significantly to light weight.



42/

42/

2020


CANDY LIME GREEN / METALLIC SPARK BLACK METALLIC MATTE GRAPHITE GRAY / METALLIC SPARK BLACK



44/









Z SUGOMI STYLING

Matching its exciting performance, the Z400 is clad in an aggressive new Sugomi inspired styling.



((ABS))



1. The 399 cm³ engine delivers improved power and torque over its 300cc predecessor; the smooth response and abundant lowend torque aid throttle control for new and experienced riders alike. 2. The Assist & experienced riders alike. **2.** The Assist & Slipper clutch offers a lighter clutch lever feel and prevents rear wheel skipping on quick downshifts. **3.** LED taillight design contributes to the sharp impression. **4.** LED headlamps contribute to the sharp looks and high visibility. **5.** The large single semi-floating Ø 310 mm petal disc and the latest Nissin ABS unit deliver front brake power and feel.



SUPERNAKED 2020





It's those extra little touches that encourage you to fine tune your **Z400**. Kawasaki Genuine Accessories carry our factory warranty and personalise the overall look of your Ninja.

Ask your local dealer about the Z400 Performance package.

PACKAGE INCLUDES:

- AKRAPOVIČ TITANIUM SILENCER
- PILLION SEAT COVER
- TANKPAD







ERGO-FIT HIGH SEAT (+30 MM)





• FRAME SLIDERS

SMOKE METER COVER

- TANK PAD
- KNEE PADS
- TANKBAG
- RADIATOR SCREEN
- WHEEL RIM TAPE



46/



• Water-cooled, single-cylinder engine • 15PS • Aggressive and unique Sugomi inspired styling • Lightweight Trellis frame • Independent sport ABS • Petal disc brakes • Optional ERGO-FIT low seat • All-digital instrumentation



50/




PEARL FLAT STARDUST WHITE / METALLIC FLAT SPARK BLACK

METALLIC SPARK BLACK

METALLIC SPARK BLACK







Calling upon Kawasaki's unique Sugomi styling character, the Z125 has the uncompromising naked looks that the Z brand is so famous for.

Like its larger brothers, the Z125's aggressive styling hints at its sporty potential.







ACCESSORIES Z125

It's those extra little touches that encourage you to fine tune your Z125. Kawasaki Genuine Accessories carry our factory warranty and personalise the overall look of your **Z**.

Ask your local dealer about the Z125 Performance package.

PACKAGE INCLUDES:

- ARROW SILENCER
- PILLION SEAT COVER
- ENGINE SLIDERS



SPORTY ARROW SILENCER





PILLION SEAT COVER

ENGINE SLIDERS





ERGO-FIT LOW SEAT (-25 MM)





KAWASAKI Z RIDING ESSENTIALS

You take riding seriously, so do we! Kawasaki Z riding gear is made from the highest quality materials and engineered for maximum comfort and style. See the whole range at www.kawasaki.eu /accessories





2020 Z Specifications

MODEL	Z H2	Z1000 / Z1000 R Edition	Z900	Z650	Z400	Z125
Engine type	Liquid-cooled, 4-stroke In-Line Four with Supercharger	Liquid-cooled, 4-stroke In-Line Four	Liquid-cooled, 4-stroke In-Line Four	Liquid-cooled, 4-stroke Parallel Twin	Liquid-cooled, 4-stroke Parallel Twin	Liquid-cooled, 4-stroke Single
Displacement	998 cm ³	1,043 cm ³	948 cm ³	649 cm ³	399 cm ³	125 cm ³
Bore x stroke	76 x 55 mm	77.0 x 56.0 mm	73.4 x 56 mm	83.0 x 60.0 mm	70 x 51.8 mm	58 x 47.2 mm
Compression ratio	11.2:1	11.8:1	11.8:1	10.8:1	11.5:1	11.7:1
Maximum power	147.1 kW {200 PS} / 11,000 rpm	104.5 kW {142 PS} / 10,000 rpm	92.2 kW {125 PS} / 9,500 rpm	50.2 kW {68 PS} / 8,000 rpm	33.4 kW {45 PS} / 10,000 rpm	11 kW {15 PS} / 10,000 rpm
Maximum torque	137 N•m {14 kgf•m} / 8,500 rpm	111 N•m {11.3 kgf•m} / 7,300 rpm	98.6 N•m {10.1 kgf•m} / 7,700 rpm	64 N•m {6.5 kgf•m} / 6,700 rpm	38 N•m {3.9 kgf•m} / 8,000 rpm	11.7 N•m {1.2 kgf•m} / 7,700 rpm
Valve system	DOHC, 16 valves	DOHC, 16 valves	DOHC, 16 valves	DOHC, 8 valves	DOHC, 8 valves	DOHC, 4 valves
Fuel system	Fuel injection: Ø40 mm x 4	Fuel injection: Ø38 mm x 4 (Keihin) with oval sub-throttles	Fuel injection: Ø 36 mm x 4 with sub-throttle	Fuel injection: Ø 36 mm x 2 with dual throttle valves	Fuel injection: Ø 32 mm x 2	Fuel injection: Ø 28 mm x 1
Lubrication	Forced lubrication, wet sump	Forced lubrication, wet sump	Forced lubrication, wet sump	Forced lubrication, semi-dry sump	Forced lubrication, wet sump	Forced lubrication, wet sump
Transmission	6-speed, return	6-speed, return	6-speed, return	6-speed, return	6-speed, return	6-speed, return
Final drive	Sealed chain	Sealed chain	Sealed chain	Sealed chain	Sealed chain	Chain
Clutch	Wet multi-disc, manual	Wet multi-disc, manual	Wet multi-disc, manual	Wet multi-disc, manual	Wet multi-disc, manual	Wet multi-disc
Frame type	Trellis, high-tensile steel	Twin-tube, aluminium	Trellis, high-tensile steel	Trellis, high-tensile steel	Trellis, high-tensile steel	Tubular diamond, steel
Tyre, front	120/70ZR17M/C (58W)	120/70ZR17M/C (58W)	120/70ZR17M/C (58W)	120/70ZR17M/C (58W)	110/70R17 M/C 54H	100/80-17M/C 52S
Tyre, rear	190/55ZR17M/C (75W)	190/50ZR17M/C (73W)	180/55ZR17M/C (73W)	160/60ZR17M/C (69W)	150/60R17 M/C 66H	130/70-17M/C 62S
Suspension, front	Showa SFF-BP Fork with Adjustable Compression and Rebound Damping, Spring Preload Adjustability	41 mm inverted fork with top-out springs, stepless compression and rebound damping and spring preload adjustability	41 mm inverted fork with stepless rebound damping and spring preload adjustability	41 mm telescopic fork	41mm telescopic fork	37 mm telescopic fork
Suspension, rear	New Uni-Trak, Showa Gas- Charged Shock with Adjustable Compression and Rebound Damping, Preload Adjustability	Horizontal Back-link, gas- charged shock, with stepless rebound damping and spring preload adjustability (Z1000) Horizontal Back-link, Öhlins S46DR1S gas-charged shock with rebound damping and remote preload adjustability (Z1000 R Edition)	Horizontal Back-link with rebound damping and spring preload adjustability	Horizontal Back-link with preload adjustment	Bottom-Link Uni-Trak, gas- charged shock with adjustable preload	Uni-Trak, gas-charged shock with adjustable preload
Brakes, front	Dual semi - floating 320mm discs, Caliper: Dual radial - mount, Brembo M4.32 monobloc, opposed 4-piston	Dual semi-floating 310 mm petal discs. Caliper: Dual radial-mount, monobloc, opposed 4-piston (Z1000) Dual semi-floating 310 mm Brembo discs. Caliper: Dual radial-mount, Brembo M50 monobloc, opposed 4-piston. (Z1000 R Edition)	Dual semi-floating 300 mm petal discs. Caliper: Dual opposed 4-piston	Dual semi-floating Ø 300 mm petal discs. Caliper: Dual piston		Single 290 mm petal disc. Caliper: Dual piston
Brakes, rear	Single 260mm disc. Caliper: 2 - piston	Single 250 mm petal disc. Caliper: Single-piston (Z1000) Single 250 mm disc. Caliper: Single-piston (Z1000 R Edition)	Single 250 mm petal disc. Caliper: Single-piston	Single Ø 220 mm petal disc. Caliper: Single-piston	Single 220 mm petal disc. Caliper: Dual-piston	Single 220 mm petal disc. Caliper: Dual piston
LxWxH	2,085 x 810 x 1,130 mm	2,045 x 790 x 1,055 mm	2,070 x 825 x 1,080 mm	2,055 x 765 x 1,065 mm	1,990 x 800 x 1,055 mm	1,935 x 740 x 1,015 mm
Wheelbase	1,455 mm	1,435 mm	1,455 mm	1,410 mm	1,370 mm	1,330 mm
Ground clearance	140 mm	125 mm	145 mm	130 mm	140 mm	185 mm
Seat height	830 mm	815 mm	820 mm	790 mm	785 mm	815 mm
Curb mass	239 kg	221 kg	210 kg	187 kg	167 kg	146 kg
Fuel capacity	19 litres	17 litres	17 litres	15 litres	14 litres	11 litres
Accessory	Optional: Performance	Optional: Performance	Optional: Performance	Optional: Performance	Optional: Performance	Optional: Performance



A2 license co.























Always ride responsibly. Respect the law and the environment. Always ride within the limits of your skills, your experience, and your machine. Wear an approved helmet and protective clothing. Adhere to the instructions and maintenance schedule in your owner's manual. Never drink and ride. Specifications have been achieved by production models under standard operating conditions. Data are intended to describe motorcycles and their performance capabilities fairly but may not apply to every machine. Specifications likely to change without notice. Specifications, products and illustrated equipment may vary by market. The actions depicted here took place under controlled conditions with professional riders. Never attempt any action which is potentially dangerous. Valuable K-Care customer programmes are available exclusively for products officially imported by Kawasaki Motors Europe N.V. and sold through its official network.

Copyright © 2020 Kawasaki Motors Europe N.V.

All rights reserved. Subject to the exceptions provided for by law, no part of this publication may be reproduced and/or published in print, via the internet in any way be that commercial or social networking channels, by photocopying, on microfilm, electronically or in any other way without the prior written consent of the copyright holder.





The Kawasaki Genuine Products logo is a mark of quality. It can only be found on products manufactured to our exacting standards either by or on behalf of Kawasaki Motors Europe N.V.

Kawasaki Motors Europe N.V.

Jacobus Spijkerdreef 1-3 2132 PZ Hoofddorp The Netherlands

E99941-3113

For more information, please visit www.kawasaki.eu

Your official Kawasaki dealer:



