

Kawasaki motorcydes are a distillation of the most advanced technology the world has to offer. Representing a unique engineering heritage and a wealth of technological expertise combined with passion, performance and individuality, Kawasaki motorcycles are not just about high performance. They are a crystallisation of advanced technology arising from the collective efforts of the Kawasaki Heavy Industries Group, whose activities span a wide range of business domains including Land, Sea and Air Transportation Systems, Energy & Environmental Engineering and Industrial Equipment.




control. This approach has been the force behind many of our legendary machines, and in our pursuit of all possibilities it will

continue to guide the future creation of Kawasaki motorcycles.













- Dual-direction quick shifter system Brembo M50 radial mount calipers and discs Low drag cowling
- Electronic throttle valves Öhlins Electronic steering damper

# **NINJA ZX-10R SE**

- State-of-the-art electronic suspension (KECS) Specially designed Marchesini forged wheels
- Dual-direction quick shifter system

# **NINJA ZX-10RR**

• Race Ready engine • Specially Designed Marchesini Forged Wheels • Revised suspension settings • Dual-direction quick shifter system • Single seat model



**NEUTRON SILVER / LIME GREEN** 







Supersport & Sport



the interpretation of input and subsequent suspension adjustment is almost instantaneous. Effectively the suspension is being constantly refined and adjusted to suit the prevailing road surface plus the demands of machine dynamics and rider input.

Kawasaki Electronic Control Suspenpion only on the Ninja ZX-10R SE.











**RACE-READY ENGINE** 

16/

Featuring a modified cylinder head equipped to take higher lift racing camshafts and new reinforced crankcases for increased durability.


















Features exclusive to Ninja ZX-10RR





Only on Ninja ZX-10RR









5

# ACCESSORIES NINJA ZX-10R

Offering the same research and development as the Ninja ZX-10R, these factory approved accessories are crafted to offer Ninja levels of performance.

Also available are our accessorised packages. Ask for these at your local dealer.

#### **PERFORMANCE PACKAGE INCLUDES:**

- AKRAPOVIČ CARBON SILENCER
- PILLION SEAT COVER (STANDARD ON NINJA ZX-10RR)
- KNEE PADS (NOT INCLUDED IN **NINJA ZX-10RR PERFORMANCE PACKAGE)**



**AKRAPOVIČ CARBON SILENCER** 





NINJA ZX-10R ACCESSORIES

Supersport & Sport 2020

**ENGINE SLIDERS** 



Ninja ZX-10R Race Kit parts Contact your dealer for a wide selection of Kawasaki Racing Parts available exclusively for the track.

**PILLION SEAT COVER** 

**KNEE PADS** 

2020 Supersport & Sport



֡

Each of the new LED headlamps features low and high beams as well as a position lamp. Highly visible, the new headlamps offer significantly increased brightness to illuminate the way on night rides.






LIME GREEN / EBONY (KRT EDITION)

METALLIC SPARK BLACK / METALLIC FLAT SPARK BLACK



Greater performance across the rpm range is welcome when sport riding, but stronger low and mid-range torque also offers increased usability in everyday street-riding situations.



**KQS (KAWASAKI QUICK SHIFTER)** 



HIGH-GRADE INSTRUMENTATION



Offering the same research and development as the Ninja ZX-6R, these factory-approved and warrantied accessories are crafted to fit first time and offer high levels of performance.

Also available are our accessorised packages. Ask for these at your local dealer.

#### **PERFORMANCE PACKAGE INCLUDES:**

- AKRAPOVIČ CARBON SILENCER
- PILLION SEAT COVER
- TANK PAD
- KNEE PAD

#### **OTHER GENUINE ACCESSORIES:**

- FRAME SLIDERS
- STEERING DAMPER KIT
- FRONT AXLE SLIDER
- REAR SOFT CASE



**AKRAPOVIČ CARBON SILENCER** 





**TANK PAD** 



**STEERING DAMPER KIT** 



NINJA ZX-6R ACCESSORIES

**REAR SOFT CASE** 

\_\_\_\_\_\_









NINJA 650 ACCESSORIES

34/



Make the very most of your riding fun plus add a personal dash of stylish practicality with these factory developed genuine accessory items.

Also available are our accessorised packages. Ask for these at your local dealer.

#### **PERFORMANCE PACKAGE INCLUDES:**

- SMOKED WINDSHIELD
- PILLION SEAT COVER
- TITANIUM AKRAPOVIČ EXHAUST
- TANK PAD

### **TOURER PACKAGE INCLUDES:**

- CLEAR TOURING WINDSHIELD
- SEMI-SOFT PANNIER SET
- TANK PAD
- KNEE PADS
- FRAME SLIDERS



**AKRAPOVIČ TITANIUM EXHAUST** 





**4L TANK BAG** 

**TANK PAD** 



**FRAME SLIDERS** 



**12V POWER OUTLET** 



**U-LOCK** 



**30L TOP CASE** 



**SMOKE AND LARGE SCREEN** 



**28L SEMI-SOFT PANNIER SET** 

26



















- FRAME SLIDERS
- TANK PAD
- TANK BAG
- RADIATOR SCREEN
- WHEEL RIM TAPE





**ERGO-FIT HIGH SEAT (+30 MM)** 



### **features**

• 125 cm³ single engine • 15PS • Unmistakably Ninja supersport inspired styling • Supersport ergonomics • Lightweight Trellis frame • Independent sport ABS • Petal disc brakes • Optional ERGO-FIT low seat • All-digital instrumentation



46/

2070

LIME GREEN / EBONY (KRT EDITION)

METALLIC FLAT STARDUST WHITE / METALLIC FLAT SPARK BLACK METALLIC SPARK BLACK / METALLIC FLAT SPARK BLACK

Supersport & Spor





**ALL-DIGITAL INSTRUMENTATION** 

**NINJA SUPERSPORT STYLING** 

**Ninja Supersport Styling** 

Like its Ninja brethren, the Ninja 125 features seductive, full-fairing bodywork. The aggressive single-bulb headlamp contributes to the lightweight image, while the sharp windscreen and sporty wheels give this new Ninja a serious Supersport



**SPORTY SUSPENSION** 



# ACCESSORIES NINJA 125

Offering the same research and development as the Ninja 125, these factory-approved and warrantied accessories are crafted to fit first time and offer high levels of performance.

Also available are our accessorised packages. Ask for these at your local dealer.

#### **PERFORMANCE PACKAGE INCLUDES:**

- ARROW SILENCER WITH CARBON HEAT SHIELD
- SMOKE WINDSHIELD
- PILLION SEAT COVER
- FRAME SLIDERS

#### **OTHER GENUINE ACCESSORIES:**

- ERGO-FIT HIGH SEAT (+20MM)
- GEAR INDICATOR
- TANK PAD



**ARROW SILENCER WITH CARBON HEAT SHIELD** 









**ERGO-FIT HIGH SEAT (+20MM)** 









Be prepared for any riding situation with our stylish range of riding gear. Made from the highest quality materials, our hard wearing clothing accessory range will never let you down. See the whole range at **www.kawasaki.eu /accessories** 





enhance your riding and leisure experience.

www.kawasaki.eu/accessories

**2020 NINJA** Specifications

MODEL	Ninja ZX-10R	Ninja ZX-6R	Ninja 650	Ninja 400	Ninja 125
Engine type	Liquid-cooled, 4-stroke In-Line Four	Liquid-cooled, 4-stroke In-Line Four	Liquid-cooled, 4-stroke Parallel	Liquid-cooled, 4-stroke Parallel	Liquid-cooled, 4-stroke Single
			Twin	Twin	2
Displacement	998 cm <sup>3</sup>	636 cm <sup>3</sup>	649 cm <sup>3</sup>	399 cm <sup>3</sup>	125 cm <sup>3</sup>
Bore x stroke	76.0 x 55.0 mm	67 x 45.1 mm	83.0 x 60.0 mm	70 x 51.8 mm	58 x 47.2 mm
Compression ratio	13.0:1	12.9:1	10.8:1	11.5:1	11.7:1
Maximum power	149.3 kW {203 PS} / 13,500 rpm	95.4 kW {130 PS} / 13,500 rpm	50.2 kW {68 PS} / 8,000 rpm	33.4 kW {45 PS} / 10,000 rpm	11 kW {15 PS} / 10,000 rpm
Maximum power with RAM air	156.8 kW {213 PS} / 13,500 rpm	100 kW {136 PS} / 13,500 rpm	N/A	N/A	N/A
Maximum torque	114.9 N•m {11.7 kgf•m} /	70.8 N•m {7.2 kgf•m} /	65.7 N•m {6.7 kgf•m} /	38 N•m {3.9 kgf•m} /	11.7 N•m {1.2 kgf•m} /
	11,200 rpm	11,000 rpm	6,500 rpm	8,000 rpm	7,700 rpm
Valve system	DOHC, 16 valves	DOHC, 16 valves	DOHC, 8 valves	DOHC, 8 valves	DOHC, 4 valves
Fuel system	Fuel injection: Ø 47 mm x 4 with dual injection	Fuel injection: Ø38 mm x 4 with oval sub-throttles	Fuel injection: Ø 36 mm x 2 with dual throttle valves	Fuel injection: Ø 32 mm x 2	Fuel injection: Ø 28 mm x 1
Lubrication	Forced lubrication, wet sump with oil cooler	Forced lubrication, wet sump with oil cooler	Forced lubrication, semi-dry sump	Forced lubrication, wet sump	Forced lubrication, wet sump
Transmission	6-speed, return, cassette	6-speed, return	6-speed, return	6-speed, return	6-speed, return
Final drive	Sealed chain	Sealed chain	Sealed chain	Sealed chain	Chain
Clutch	Wet multi-disc, manual	Wet multi-disc, manual	Wet multi-disc, manual	Wet multi-disc, manual	Wet multi-disc
Frame type	Twin spar, cast aluminium	Twin spar, cast aluminium	Trellis, high-tensile steel	Trellis, high-tensile steel	Tubular diamond, steel
Tyre, front	120/70ZR17M/C (58W)	120/70ZR17M/C (58W)	120/70ZR17M/C (58W)	110/70R17 M/C 54H	100/80-17M/C 52S
Tyre, rear	190/55ZR17M/C (75W)	180/55ZR17M/C (75W)	160/60ZR17M/C (69W)	150/60R17 M/C 66H	130/70-17M/C 62S
Suspension, front	43 mm inverted Balance Free Front	41 mm inverted fork (SFF-BP)	41 mm telescopic fork	41mm telescopic fork	37 mm telescopic fork
	Fork with external compression	with rebound and compression			
	chamber, compression and	damping and spring preload			
	rebound damping and spring	adjustability, and top-out springs			
	preload adjustability, and top-out				
Suspension, rear	springs. Horizontal Back-link with BFRC	Bottom-Link Uni Trak, gas-charged	Horizontal Back-link with	Bottom-Link Uni-Trak, gas-	Uni-Trak, gas-charged shock with
Suspension, real	lite gas-charged shock, piggyback	shock with piggyback reservoir,	adjustable preload	charged shock with adjustable	adjustable preload
	reservoir, compression and	compression and rebound	.,	preload	
	rebound damping and spring	damping and spring preload			
	preload adjustability, and top-out	adjustability			
	spring				
Brakes, front /	Dual semi-floating 330 mm	Dual semi-floating 310 mm (x	Dual semi-floating 300 mm petal		Single 290 mm petal disc.
Front brake type	Brembo discs. Caliper: Dual radial-	t5 mm) petal discs. Caliper: dual	discs. Caliper: Dual piston	petal discs. Caliper: Single	Caliper: Dual piston
	mount, Brembo M50 monobloc,	radial-mount, monobloc, opposed		balanced actuation dual piston	
Brakes rear / Rear	opposed 4-piston Single 220 mm disc. Caliper:	4-piston Single 220 mm (x t5 mm) petal	Single 220 mm petal disc.	Single 220 mm petal disc.	Single 220 mm petal disc.
Brake Type	Single piston	disc. Caliper: single-bore pin-slide,	Caliper: Single-piston	Caliper: Dual-piston	Caliper: Dual piston
	5 ,	aluminium piston	, , ,		
LxWxH	2,085 x 740 x 1,145 mm	2,025 x 710 x 1,100 mm	2,055 x 740 x 1,145 mm	1,990 x 710 x 1,120 mm	1,935 x 685 x 1,075 mm
Wheelbase	1,440 mm	1,400 mm	1,410 mm	1,370 mm	1,330 mm
Ground clearance	145 mm	130 mm	130 mm	140 mm	170 mm
Seat height	835 mm	830 mm	790 mm	785 mm	785 mm
Curb mass	206 kg	196 kg	193 kg	168 kg	148 kg
Fuel capacity	17 litres	17 litres	15 litres	14 litres	11 litres
Accessory package	Optional: Performance	Optional: Performance	Optional: Performance and	Optional: Performance	Optional: Performance
			Tourer		

# Key to feature icons



























